
Item (H)(1)(B) - AWMP and CIP Stakeholder Engagement and User Rate Study

From Jesse Stephens <JStephens@bcrsd.com>

Date Fri 3/13/2026 1:38 PM

To Jesse Stephens <JStephens@bcrsd.com>

Dear Board of Trustees,

We were able to Meet with DNR staff and management on 2-20-2026 to review the plan and receive comments and feedback. We are currently working on minor revisions requested, including updating certain schedules within the AWMP, providing copies of agreements with the City of Columbia. Once complete, they will re-review. They have indicated they will have a separate conversation with the City of Columbia regarding the City's Tier 2 Authority, and they may have to move this request forward as a separate Tier 2 authority instead of a joint Tier 2 Authority with the City of Columbia. At the meeting, the realistic timeline for going before the Clean Water Commission will be July of 2026. I will continue to keep you updated. Additionally, as part of the Muni-Link conversion process we are gaining additional information that is leading us to more accurate annual customer counts. This information is being analyzed internally and being relayed and incorporated into the User Rate Study in process.



Jesse Stephens, P.E., Executive Director
Boone County Regional Sewer District (BCRSD)
1314 N. 7th St., Columbia, MO 65201
C: 573.239.4025 | O: 573.443.2774
e: jstephens@bcrsd.com | w: www.bcrsd.com