
Item H(1)(B) - Area Wide Management Plan

From Jesse Stephens <JStephens@bcrsd.com>

Date Mon 6/15/2026 4:19 PM

To Jesse Stephens <JStephens@bcrsd.com>

Dear Board of Trustees,

After some back and forth with the reviewing staff at DNR, they have informed us they are okay with the current version that is posted on the website. See the link below. Some of the changes requested during their review included

- 1) Adding section 1.4 and 1.5, which discuss BCRSD's local coordination efforts with Resource Management and a discussion on some of the regionalization priorities
- 2) Adding additional analysis to each of the private facilities listed in Section 4.2 which discuss anticipated timeframes and treatment and collection capacity available (or not) for each of these facilities. A discussion of watershed sensitivity at each facility was included.
- 3) Section 4.3 was added discussing the available capacity of the regional treatment facilities to which private facilities may connect in the future.
- 4) Appendix F was added showing a summary of all of the cooperative agreements between the City of Columbia and BCRSD.
- 5) Section 5.3.3 of the CIP was amended to include verbiage of the sensitive nature of the Hwy 163/ Route N Pressure sewer and that the project could merit a quicker timeframe should funding become available

I've been informed by DNR that the AWMP is on the agenda for the July 15th Clean Water Commission. Also, per discussions, we are recommending that the notice of the Board's decision to approve the plan should happen at a special board meeting on June 30th, subsequent to our final public meeting ahead of the Clean Water Commission meeting.

Links to the current plan are available on our website.

[26.06.15-BCRSD-AWMP-Report-Final.pdf](#)



Jesse Stephens, P.E., Executive Director
Boone County Regional Sewer District (BCRSD)
1314 N. 7th St., Columbia, MO 65201
C: 573.239.4025 | O: 573.443.2774
e: jstephens@bcrsd.com | w: www.bcrsd.com